


# Nappe

SUSPENSION  
APPLIQUE




Painted metal frame with metal or Pyrex rods. Pyrex diffusers. Led Lighting.

## FINISHINGS

### STANDARD FRAME

#### TOTAL WHITE



v95 Matt white

#### TOTAL BLACK



v90 Matt Black

#### TOTAL COPPER



g29 Brushed copper

#### MIXED COLOURS



V95 + V21 + V51 + V72

#### MIXED WARM



V35 + V70 + V84

## MATERIALS

### METAL BEAMS



v93 Painted gold



g29 Brushed copper



v95 Matt white

### DIFFUSER



Smoky Pyrex

## NAPPE METAL DETAILS



g12 Brushed gold



g12 Brushed gold



g12 Brushed gold



g29 Brushed copper



g29 Brushed copper

## NAPPE XL METAL DETAILS



f01 Gold leaf




f01 Gold leaf

## STANDARD CABLES



WHEN SINGLE SUSPENSION (N-XL):  
1 single cable\*  
(120 cm / 47.24")  
with canopy



WHEN COMPOSITION (C3-C5-C10):  
2 cables\*  
(160 cm / 62.99" each)  
with connection spheres

\*CABLES COLOR:  
For V95 version the cable  
color is white. For V90  
and mixed colors the cable  
color is black


**NAPPE N0** 


∅ 7.5 cm / 3.00"  
H 34 cm / 13.40"

**INTEGRATED LED LIGHTING**  
5.4 W CRI>90  
3000 K - 688 NOMINAL LM

**ON REQUEST**  
5.4 W CRI>90  
2700 K - 653 NOMINAL LM

**DIMMABLE**  
TRIAC




**NAPPE N1** 

∅ 15 cm / 5.90"  
H 36 cm / 14.20"

**INTEGRATED LED LIGHTING**  
5.4 W CRI>90  
3000 K - 688 NOMINAL LM

**ON REQUEST**  
5.4 W CRI>90  
2700 K - 653 NOMINAL LM

**DIMMABLE**  
TRIAC




**NAPPE N2** 


∅ 15 cm / 5.90"  
H 40 cm / 15.70"

**INTEGRATED LED LIGHTING**  
5.4 W CRI>90  
3000 K - 688 NOMINAL LM

**ON REQUEST**  
5.4 W CRI>90  
2700 K - 653 NOMINAL LM

**DIMMABLE**  
TRIAC




**NAPPE N3** 

∅ 7.5 cm / 3.00"  
H 36 cm / 14.20"

**INTEGRATED LED LIGHTING**  
5.4 W CRI>90  
3000 K - 688 NOMINAL LM

**ON REQUEST**  
5.4 W CRI>90  
2700 K - 653 NOMINAL LM

**DIMMABLE**  
TRIAC




**NAPPE N4** 

∅ 7.5 cm / 3.00"  
H 38 cm / 15.00"

**INTEGRATED LED LIGHTING**  
5.4 W CRI>90  
3000 K - 688 NOMINAL LM

**ON REQUEST**  
5.4 W CRI>90  
2700 K - 653 NOMINAL LM

**DIMMABLE**  
TRIAC




**NAPPE N5** 

∅ 15 cm / 5.90"  
H 40 cm / 15.70"

**INTEGRATED LED LIGHTING**  
5.4 W CRI>90  
3000 K - 688 NOMINAL LM

**ON REQUEST**  
5.4 W CRI>90  
2700 K - 653 NOMINAL LM

**DIMMABLE**  
TRIAC




**NAPPE N6** 

∅ 15 cm / 5.90"  
H 32 cm / 12.60"

**INTEGRATED LED LIGHTING**  
5.4 W CRI>90  
3000 K - 688 NOMINAL LM

**ON REQUEST**  
5.4 W CRI>90  
2700 K - 653 NOMINAL LM

**DIMMABLE**  
TRIAC




**NAPPE N7** 

∅ 7.5 cm / 3.00"  
H 34 cm / 13.40"

**INTEGRATED LED LIGHTING**  
5.4 W CRI>90  
3000 K - 688 NOMINAL LM

**ON REQUEST**  
5.4 W CRI>90  
2700 K - 653 NOMINAL LM

**DIMMABLE**  
TRIAC




**NAPPE N8** 


∅ 15 cm / 5.90"  
H 39 cm / 15.40"

**INTEGRATED LED LIGHTING**  
5.4 W CRI>90  
3000 K - 688 NOMINAL LM

**ON REQUEST**  
5.4 W CRI>90  
2700 K - 653 NOMINAL LM

**DIMMABLE**  
TRIAC




**NAPPE N9** 


∅ 7.5 cm / 3.00"  
H 39 cm / 15.40"


**INTEGRATED LED LIGHTING**  
5.4 W CRI>90  
3000 K - 688 NOMINAL LM


**ON REQUEST**  
5.4 W CRI>90  
2700 K - 653 NOMINAL LM

**DIMMABLE**  
TRIAC




| NAPPE XL1                      |  | CE  |
|--------------------------------|--|--|
| ∅                              | 30 cm / 11.80"                           |  |
| H                              | 125 cm / 49.20"                          |  |
| <b>INTEGRATED LED LIGHTING</b> |  |  |
| UP                             | 7 W CRI>90<br>3000 K - 1200 NOMINAL LM   |  |
| DOWN                           | 8.5 W CRI>90<br>3000 K - 1320 NOMINAL LM |  |
| <b>ON REQUEST</b>              |  |  |
| UP                             | 6.6 W CRI>90<br>2700 K - 1092 NOMINAL LM |  |
| DOWN                           | 9.2 W CRI>90<br>2700 K - 1370 NOMINAL LM |  |
| <b>DIMMABLE</b>                |  |  |
| 0-10V                          |  |  |



| NAPPE XL2                      |  | CE  |
|--------------------------------|--|--|
| ∅                              | 35 cm / 13.80"                           |  |
| H                              | 135 cm / 53.10"                          |  |
| <b>INTEGRATED LED LIGHTING</b> |  |  |
| UP                             | 7 W CRI>90<br>3000 K - 1200 NOMINAL LM   |  |
| DOWN                           | 8.5 W CRI>90<br>3000 K - 1320 NOMINAL LM |  |
| <b>ON REQUEST</b>              |  |  |
| UP                             | 6.6 W CRI>90<br>2700 K - 1092 NOMINAL LM |  |
| DOWN                           | 9.2 W CRI>90<br>2700 K - 1370 NOMINAL LM |  |
| <b>DIMMABLE</b>                |  |  |
| 0-10V                          |  |  |



| NAPPE XL3                      |   | CE  |
|--------------------------------|---|--|
| ∅                              | 30 cm / 11.80"                            |  |
| H                              | 110 cm / 43.30"                           |  |
| <b>INTEGRATED LED LIGHTING</b> |   |  |
|                                | 12.2 W CRI>90<br>3000 K - 2000 NOMINAL LM |  |
| <b>ON REQUEST</b>              |   |  |
|                                | 12.2 W CRI>90<br>2700 K - 1900 NOMINAL LM |  |
| <b>DIMMABLE</b>                |   |  |
| 0-10V                          |   |  |



NAPPE C3



NAPPE C5



NAPPE C10



INTEGRATED LED LIGHTING

3 x 16,2 W CRI>90  
3000 K - 2064 NOMINAL LM

ON REQUEST

3 x 16,2 W CRI>90  
2700 K - 1960 NOMINAL LM

DIMMABLE

0-10V

INTEGRATED LED LIGHTING

5 x 27 W CRI>90  
3000 K - 3440 NOMINAL LM

ON REQUEST

5 x 27 W CRI>90  
2700 K - 3268 NOMINAL LM

DIMMABLE

0-10V

INTEGRATED LED LIGHTING




10 x 54 W CRI>90  
3000 K - 6880 NOMINAL LM

ON REQUEST

10 x 54 W CRI>90  
2700 K - 6536 NOMINAL LM


DIMMABLE

0-10V




SUGGESTED CONFIGURATION FOR C3


LINEAR



OPEN TRIANGLE



CLOSE TRIANGLE




\*ON REQUEST CANOPY WITH 2 HOLES FOR CABLES




SUGGESTED CONFIGURATION FOR C5


LINEAR



OPEN PENTAGON




CLOSE PENTAGON




\*ON REQUEST CANOPY WITH 2 HOLES FOR CABLES

SUGGESTED CONFIGURATION FOR C10


LINEAR



DOUBLE LINEAR





CIRCULAR




**NAPPE C3 LN 75** 

|   |                 |
|---|-----------------|
| W   | 75 cm / 29.50"  |
| D   | 20 cm / 7.90"   |
| H MAX   | 155 cm / 61.00" |
| <b>INTEGRATED LED LIGHTING</b>                |                 |
| 3 × 16,2 W CRI>90<br>3000 K - 2064 NOMINAL LM |                 |
| <b>ON REQUEST</b>                             |                 |
| 3 × 16,2 W CRI>90<br>2700 K - 1960 NOMINAL LM |                 |
| <b>DIMMABLE</b>                               |                 |
| 0-10V   |                 |




**NAPPE C3 LN 125** 

|   |                 |
|---|-----------------|
| W   | 125 cm / 49.20" |
| D   | 20 cm / 7.90"   |
| H MAX   | 155 cm / 61.00" |
| <b>INTEGRATED LED LIGHTING</b>                |                 |
| 3 × 16,2 W CRI>90<br>3000 K - 2064 NOMINAL LM |                 |
| <b>ON REQUEST</b>                             |                 |
| 3 × 16,2 W CRI>90<br>2700 K - 1960 NOMINAL LM |                 |
| <b>DIMMABLE</b>                               |                 |
| 0-10V   |                 |




**NAPPE C5 LN 175** 

|   |                 |
|---|-----------------|
| W   | 175 cm / 68.90" |
| D   | 20 cm / 7.90"   |
| H MAX                                       | 155 cm / 61.00" |
| <b>INTEGRATED LED LIGHTING</b>              |                 |
| 5 × 27 W CRI>90<br>3000 K - 3440 NOMINAL LM |                 |
| <b>ON REQUEST</b>                           |                 |
| 5 × 27 W CRI>90<br>2700 K - 3268 NOMINAL LM |                 |
| <b>DIMMABLE</b>                             |                 |
| 0-10V                                       |                 |




**NAPPE C3 RD 40** 

|   |                 |
|---|-----------------|
| ø   | 40 cm / 15.70"  |
| H MAX   | 155 cm / 61.00" |
| <b>INTEGRATED LED LIGHTING</b>                |                 |
| 3 × 16,2 W CRI>90<br>3000 K - 2064 NOMINAL LM |                 |
| <b>ON REQUEST</b>                             |                 |
| 3 × 16,2 W CRI>90<br>2700 K - 1960 NOMINAL LM |                 |
| <b>DIMMABLE</b>                               |                 |
| 0-10V   |                 |




**NAPPE C3 RD 60** 

|   |                 |
|---|-----------------|
| ø   | 60 cm / 23.60"  |
| H MAX   | 155 cm / 61.00" |
| <b>INTEGRATED LED LIGHTING</b>                |                 |
| 3 × 16,2 W CRI>90<br>3000 K - 2064 NOMINAL LM |                 |
| <b>ON REQUEST</b>                             |                 |
| 3 × 16,2 W CRI>90<br>2700 K - 1960 NOMINAL LM |                 |
| <b>DIMMABLE</b>                               |                 |
| 0-10V   |                 |



**NAPPE C5 RD 80** 

|   |                 |
|---|-----------------|
| ø   | 80 cm / 31.50"  |
| H MAX                                       | 155 cm / 61.00" |
| <b>INTEGRATED LED LIGHTING</b>              |                 |
| 5 × 27 W CRI>90<br>3000 K - 3440 NOMINAL LM |                 |
| <b>ON REQUEST</b>                           |                 |
| 5 × 27 W CRI>90<br>2700 K - 3268 NOMINAL LM |                 |
| <b>DIMMABLE</b>                             |                 |
| 0-10V                                       |                 |



NAPPE APP N4



W 12 cm / 4.70"  
 D 16 cm / 6.30"  
 H 42 cm / 16.50"

INTEGRATED LED LIGHTING


5.4 W CRI>90  
 3000 K - 688 NOMINAL LM

ON REQUEST

5,4 W CRI>90  
 2700 K - 653 NOMINAL LM

DIMMABLE

TRIAC



NAPPE APP N2



W 15 cm / 5.90"  
 D 19.7 cm / 7.80"  
 H 43 cm / 16.90"

INTEGRATED LED LIGHTING


5.4 W CRI>90  
 3000 K - 688 NOMINAL LM

ON REQUEST


5,4 W CRI>90  
 2700 K - 653 NOMINAL LM

DIMMABLE

TRIAC




SINGLE CANOPY



| SIZE             | FRAME FINISHINGS | CANOPY FINISHINGS | PRODUCT NAME         |
|------------------|------------------|-------------------|----------------------|
| Ø 14 cm / 5.50"  | V95              | G12               | NAPPE N0-N1-N2-N3-N4 |
| H 4,3 cm / 1.70" | V72 V51 V21 V95  | G12               | N5-N6-N7-N8-N9       |
|                  | V90              | G12               |                      |
|                  | V35 V70 V84      | G12               |                      |
|                  | G29              | G29               |                      |

SINGLE CANOPY



| SIZE              | FRAME FINISHINGS    | CANOPY FINISHINGS | PRODUCT NAME          |
|-------------------|---------------------|-------------------|-----------------------|
| Ø 22,5 cm / 8.90" | V95                 | F01               | NAPPE XL1 - XL2 - XL3 |
| H 6 cm / 2.40"    | V90                 | F01               | NAPPE XL1 - XL2 - XL3 |
|                   | V35 V70 V84         | F01               | NAPPE XL1 - XL2 - XL3 |
|                   | V72 V51 V21 V95 V95 |                   | NAPPE XL1             |
|                   | V72 V51 V21 V95 V72 |                   | NAPPE XL2             |
|                   | V72 V51 V21 V95 V51 |                   | NAPPE XL3             |

LINEAR CANOPY LN 75

|  | SIZE | FINISHINGS     | PRODUCT NAME   |
|--|------|----------------|----------------|
|  | W    | 75 cm / 29.50" | ● V98          |
|  | D    | 20 cm / 7.90"  |                |
|  | H    | 4 cm / 1.60"   |                |
|  |      |                |                |
|  |      |                | NAPPE C3 LN 75 |

LINEAR CANOPY LN 125

|  | SIZE | FINISHINGS      | PRODUCT NAME    |
|--|------|-----------------|-----------------|
|  | W    | 125 cm / 49.20" | ● V98           |
|  | D    | 20 cm / 7.90"   |                 |
|  | H    | 4 cm / 1.60"    |                 |
|  |      |                 |                 |
|  |      |                 | NAPPE C3 LN 125 |

LINEAR CANOPY LN 175

|  | SIZE | FINISHINGS      | PRODUCT NAME    |
|--|------|-----------------|-----------------|
|  | W    | 175 cm / 68.90" | ● V98           |
|  | D    | 20 cm / 7.90"   |                 |
|  | H    | 4 cm / 1.60"    |                 |
|  |      |                 |                 |
|  |      |                 | NAPPE C5 LN 175 |

ROUND CANOPY RD 40

|  | SIZE | FINISHINGS     | PRODUCT NAME   |
|--|------|----------------|----------------|
|  | Ø    | 40 cm / 15.70" | ● V98          |
|  | H    | 4 cm / 1.60"   |                |
|  |      |                |                |
|  |      |                |                |
|  |      |                | NAPPE C3 RD 40 |

ROUND CANOPY RD 60

|  | SIZE | FINISHINGS     | PRODUCT NAME   |
|--|------|----------------|----------------|
|  | Ø    | 60 cm / 23.60" | ● V98          |
|  | H    | 4 cm / 1.60"   |                |
|  |      |                |                |
|  |      |                |                |
|  |      |                | NAPPE C3 RD 60 |

ROUND CANOPY RD 80

|  | SIZE | FINISHINGS     | PRODUCT NAME   |
|--|------|----------------|----------------|
|  | Ø    | 80 cm / 31.50" | ● V98          |
|  | H    | 4 cm / 1.60"   |                |
|  |      |                |                |
|  |      |                |                |
|  |      |                | NAPPE C5 RD 80 |