


# Luppiter

SUSPENSION  
APPLIQUE  
TABLE LAMP  
FLOOR LAMP



Painted metal frame with metal lampshade and sphere available in metal or Alabaster. LED lighting.

## FINISHINGS

### STANDARD FRAME



v90 Matt Black

## FINISHINGS

### STANDARD SPHERE AND LAMPSHADE\*



g26 Brushed pure gold

\*INTERNAL SIDE V95


## MATERIALS


### STANDARD




AL Alabaster


## STANDARD CABLES




**LUPPITER S1 P 33** 


Ø	33 cm / 13.00"
H	31 cm / 12.20"
<b>STANDARD INTEGRATED LED LIGHTING</b>	
UP	1,1 W CRI>90 3000 K – 140 NOMINAL LM
DOWN	10,5 W CRI>90 3000 K – 1400 NOMINAL LM
<b>ON REQUEST</b>	
UP	1,1 W CRI>90 2700 K – 130 NOMINAL LM
DOWN	10,5 W CRI>90 2700 K – 1330 NOMINAL LM
<b>DIMMABLE</b>	
TRIAC	




**LUPPITER S1 M 33** 


Ø	33 cm / 13.00"
H	44 cm / 17.30"
<b>STANDARD INTEGRATED LED LIGHTING</b>	
UP	1,1 W CRI>90 3000 K – 140 NOMINAL LM
DOWN	10,5 W CRI>90 3000 K – 1400 NOMINAL LM
<b>ON REQUEST</b>	
UP	1,1 W CRI>90 2700 K – 130 NOMINAL LM
DOWN	10,5 W CRI>90 2700 K – 1330 NOMINAL LM
<b>DIMMABLE</b>	
TRIAC	




**LUPPITER S1 G 33** 


Ø	33 cm / 13.00"
H	59 cm / 23.20"
<b>STANDARD INTEGRATED LED LIGHTING</b>	
UP	1,1 W CRI>90 3000 K – 140 NOMINAL LM
DOWN	10,5 W CRI>90 3000 K – 1400 NOMINAL LM
<b>ON REQUEST</b>	
UP	1,1 W CRI>90 2700 K – 130 NOMINAL LM
DOWN	10,5 W CRI>90 2700 K – 1330 NOMINAL LM
<b>DIMMABLE</b>	
TRIAC	




**LUPPITER S1 P 55** 


Ø	55 cm / 21.70"
H	31 cm / 12.20"
<b>STANDARD INTEGRATED LED LIGHTING</b>	
UP	1,1 W CRI>90 3000 K – 140 NOMINAL LM
DOWN	10,5 W CRI>90 3000 K – 1400 NOMINAL LM
<b>ON REQUEST</b>	
UP	1,1 W CRI>90 2700 K – 130 NOMINAL LM
DOWN	10,5 W CRI>90 2700 K – 1330 NOMINAL LM
<b>DIMMABLE</b>	
TRIAC	




**LUPPITER S1 M 55** 

Ø	55 cm / 21.70"
H	44 cm / 17.30"
<b>STANDARD INTEGRATED LED LIGHTING</b>	
UP	1,1 W CRI>90 3000 K – 140 NOMINAL LM
DOWN	10,5 W CRI>90 3000 K – 1400 NOMINAL LM
<b>ON REQUEST</b>	
UP	1,1 W CRI>90 2700 K – 130 NOMINAL LM
DOWN	10,5 W CRI>90 2700 K – 1330 NOMINAL LM
<b>DIMMABLE</b>	
TRIAC	



**LUPPITER S1 G 55** 

Ø	55 cm / 21.70"
H	59 cm / 23.20"
<b>STANDARD INTEGRATED LED LIGHTING</b>	
UP	1,1 W CRI>90 3000 K – 140 NOMINAL LM
DOWN	10,5 W CRI>90 3000 K – 1400 NOMINAL LM
<b>ON REQUEST</b>	
UP	1,1 W CRI>90 2700 K – 130 NOMINAL LM
DOWN	10,5 W CRI>90 2700 K – 1330 NOMINAL LM
<b>DIMMABLE</b>	
TRIAC	




LUPPITER A1 

W 11 cm / 4.30"  
D 12 cm / 4.70"  
H 42 cm / 16.50"

STANDARD INTEGRATED LED LIGHTING  
8 W CRI>90  
3000 K - 684 NOMINAL LM

ON REQUEST  
8 W CRI>90  
2700 K - 636 NOMINAL LM

DIMMABLE  
TRIAC




LUPPITER TL 111 

ø 11 cm / 4.30"  
H 46 cm / 18.10"

STANDARD INTEGRATED LED LIGHTING  
5 W CRI>90  
3000 K - 526 NOMINAL LM

ON REQUEST  
5 W CRI>90  
2700 K - 515 NOMINAL LM

DIMMABLE  
NO




LUPPITER TL 133 

ø 33 cm / 13.00"  
H 46 cm / 18.10"

STANDARD INTEGRATED LED LIGHTING  
5 W CRI>90  
3000 K - 526 NOMINAL LM

ON REQUEST  
5 W CRI>90  
2700 K - 515 NOMINAL LM

DIMMABLE  
NO




LUPPITER STL 133 

ø 33 cm / 13.00"  
H 140 cm / 55.10"

STANDARD INTEGRATED LED LIGHTING  
12,5 W CRI>90  
3000 K - 1639 NOMINAL LM

ON REQUEST  
12,5 W CRI>90  
2700 K - 1566 NOMINAL LM

DIMMABLE  
NO




LUPPITER STL 111 


ø 11 cm / 4.30"  
H 140 cm / 55.10"

STANDARD INTEGRATED LED LIGHTING  
12,5 W CRI>90  
3000 K - 1639 NOMINAL LM


ON REQUEST  
12,5 W CRI>90  
2700 K - 1566 NOMINAL LM


DIMMABLE  
NO




**LUPPITER C3 RD 60** 


∅	60 cm / 23.60"
H MAX	185 cm / 72.80"
<b>STANDARD INTEGRATED LED LIGHTING</b>	
	40,8 W CRI>90
	3000 K – 5337 NOMINAL LM
<b>ON REQUEST</b>	
	40,8 W CRI>90
	2700 K – 5088 NOMINAL LM
<b>DIMMABLE</b>	
	1-10V




**LUPPITER C5 RD 80** 


∅	80 cm / 31.50"
H MAX	185 cm / 72.80"
<b>STANDARD INTEGRATED LED LIGHTING</b>	
	68 W CRI>90
	3000 K – 8895 NOMINAL LM
<b>ON REQUEST</b>	
	68 W CRI>90
	2700 K – 8480 NOMINAL LM
<b>DIMMABLE</b>	
	0-10V




**LUPPITER C3 LN 125** 

w	125 cm / 49.20"
d	33 cm / 13.00"
H MAX	185 cm / 72.80"
<b>STANDARD INTEGRATED LED LIGHTING</b>	
	40,8 W CRI>90
	3000 K – 5337 NOMINAL LM
<b>ON REQUEST</b>	
	40,8 W CRI>90
	2700 K – 5088 NOMINAL LM
<b>DIMMABLE</b>	
	1-10V




**LUPPITER C5 LN 175** 

w	175 cm / 68.90"
d	33 cm / 13.00"
H MAX	185 cm / 72.80"
<b>STANDARD INTEGRATED LED LIGHTING</b>	
	68 W CRI>90
	3000 K – 8895 NOMINAL LM
<b>ON REQUEST</b>	
	68 W CRI>90
	2700 K – 8480 NOMINAL LM
<b>DIMMABLE</b>	
	0-10V



## SINGLE CANOPY



## SIZE

Ø	12 cm / 4.70"
H	11,7 cm / 4.60"


## FINISHINGS

● V90

## PRODUCT NAME


LUPPITER S1 P 33  
LUPPITER S1 M 33  
LUPPITER S1 G 33  
LUPPITER S1 P 55  
LUPPITER S1 M 55  
LUPPITER S1 G 55

LINEAR CANOPY LN 125




SIZE	FINISHINGS	PRODUCT NAME
W 125 cm / 49.20"	● V91	LUPPITER C3 LN 125
D 20 cm / 7.90"		
H 4 cm / 1.60"		

LINEAR CANOPY LN 175




SIZE	FINISHINGS	PRODUCT NAME
W 175 cm / 68.90"	● V91	LUPPITER C5 LN 175
D 20 cm / 7.90"		
H 4 cm / 1.60"		

ROUND CANOPY RD 60



SIZE	FINISHINGS	PRODUCT NAME
Ø 60 cm / 23.60"	● V91	LUPPITER C3 RD 60
H 4 cm / 1.60"		

ROUND CANOPY RD 80



SIZE	FINISHINGS	PRODUCT NAME
Ø 80 cm / 31.50"	● V91	LUPPITERC5 RD 80
H 4 cm / 1.60"		